



VARDAflex Plus Profi - 5-Meter-Rolle


Flex. LED-Strip, 24V, 14, 4W/m, Innen, azur

Article nr.: PGI139

mit selbstklebender Rückseite, · für die Innenanwendung, IP20 · · alle 50 mm / 6 LEDs teilbar · Anzahl der LEDs: 600 · LED Abstand: 8,33 mm · Ausstrahlwinkel: 120° · CRI: · Lichtstrom pro Meter: 909 lm · Betriebsspannung: 24 V DC · Leistung pro Meter: 14,4 W · Lebensdauer L70: ≥ 50.000 h · LxBxH in mm: 5.000 x 8 x 1,2 · · Maximale Länge pro Anschluss: 5 Meter. Für größere Längen neu einspeisen. · Lieferumfang: 5 Meter-Rolle

TECHNICAL DATA

Unit Code	Stück
BAR code	4251835891394
Housing colour	sonstige
Length	5000.00 mm
Width	8.00 mm
Height	1.20 mm
LED colour	azur
Lightoutput per fixture	4545.00 lm
Lightoutput per LED	7.57 lm
Lamp	Inklusive LED






VARDAflex Plus Profi - 5-Meter-Rolle

Flex. LED-Strip, 24V, 14, 4W/m, Innen, azur

Article nr.: PGI139

TECHNICAL DATA

IP rating	20
Power	72 W
Current mA	3000 mA
Voltage	24 V
Amount of LED	600
Temperature range	-20 - 45
LED per meter	120
Dimension of segments	50.00 mm
Lifetime L70B50	36.000 h





VARDAflex Plus Profi - 5-Meter-Rolle
Flex. LED-Strip, 24V, 14, 4W/m, Innen,
azur

Article nr.: PGI139

TECHNICAL DRAWING

