




VARDAflex COB Plus Profi IP67 - 5-Meter-Rolle Flex. LED-Strip, 24V, 14W/m, IP67, 2700K CRI90

Article nr.: PGI380

im Silikonschlauch mit selbstklebender Rückseite, · für die Innen- und Außenanwendung, IP67 · UV-beständig · alle 50 mm / 24 LEDs teilbar · Anzahl der LEDs: 2400 · LED-Abstand: 2,08 mm · Ausstrahlwinkel: 180° · CRI: >90 · Lichtstrom pro Meter: 1305 lm · Betriebsspannung: 24V DC · Leistung pro Meter: 14 W · Lebensdauer L70: >= 36.000 h · Energieeffizienzklasse: F · LxBxH in mm: 5.000 x 10 x 4,5 · · Maximale Länge pro Anschluss: 5 Meter. Für größere Längen neu einspeisen · Lieferumfang: 5 Meter-Rolle mit 300 mm Anschlussleitung, 10 Befestigungshalter, · 20 Schrauben

TECHNICAL DATA

Unit Code	Stück
BAR code	4251835893800
Housing colour	ohne
Length	5000.00 mm
Width	10.00 mm
Height	4.50 mm
LED colour	ca. 2700K ultra warmweiß
Lightoutput per fixture	6525.00 lm
Lightoutput per LED	2.72 lm
Lamp	Inklusive LED






VARDAflex COB Plus Profi IP67 - 5-Meter-Rolle Flex. LED-Strip, 24V, 14W/m, IP67, 2700K CRI90

Article nr.: PGI380

TECHNICAL DATA

IP rating	67
Power	70 W
Psb	0,00 W
Current mA	2916 mA
Voltage	24 V
Amount of LED	2400
Material	Kunststoff
Temperature range	-20 - 45
LED per meter	480
Dimension of segments	50.00 mm
Energy efficiency class	EEK-Label_F
CRI	≥ 90
Lifetime L70B50	36.000 h





VARDAflex COB Plus Profi IP67 - 5-Meter-Rolle Flex. LED-Strip, 24V, 14W/m, IP67, 2700K CRI90
Article nr.: PGI380

TECHNICAL DRAWING

