



VARDAflex COB - 5-Meter-Rolle

Flex.LED-Strip, 24V, 7W/m, Innen, 4000K

Article nr.: PHA338

mit selbstklebender Rückseite · für die Innenanwendung, IP20 · alle 62,5 mm / 32 LEDs teilbar · Anzahl der LEDs: 2.560 · LED Abstand: 1,95 mm · Ausstrahlwinkel: 180° · CRI: >90 · Lichtstrom pro Meter: 699 lm · Betriebsspannung: 24 V DC · Leistung pro Meter: 7 W · Lebensdauer L70B50: >= 67.000 h · Energieeffizienzklasse: F · LxBxH in mm: 5.000 x 8 x 1,9 · Maximale Länge pro Anschluss: 5 Meter. Für größere Längen neu einspeisen. · Lieferumfang: 5 Meter-Rolle mit 150 mm Anschlussleitung

TECHNICAL DATA

Unit Code	Stück
BAR code	4251835813389
Length	5000.00 mm
Width	8.00 mm
Height	1.90 mm
LED colour	ca. 4000K neutralweiß
Lightoutput per fixture	3495.00 lm
Lightoutput per LED	1.37 lm
Lamp	Inklusive LED
IP rating	20






VARDAflex COB - 5-Meter-Rolle

Flex.LED-Strip, 24V, 7W/m, Innen, 4000K

Article nr.: PHA338

TECHNICAL DATA

Power	35 W
Psb	0,00 W
Current mA	1458 mA
Voltage	24 V
Amount of LED	2560
Temperature range	-20 - 45
LED per meter	512
Dimension of segments	62.50 mm
Energy efficiency class	EEK-Label_F
CRI	≥ 90
Lifetime L70B50	67.000 h





VARDAflex COB - 5-Meter-Rolle
Flex.LED-Strip, 24V, 7W/m, Innen,
4000K

Article nr.: PHA338

TECHNICAL DRAWING

