




VARDAflex Grow - 5-Meter-Rolle Flex. LED-Strip, 24V, Innen, 660nm:460nm Article nr.: PHD000

mit selbstklebender Rückseite, · für die Innenanwendung · · alle 50 mm / 6 LEDs teilbar · Anzahl der LEDs: 600 · LED Abstand: 8,33 mm · Ausstrahlwinkel: 120° · CRI: - · Lichtstrom pro Meter: 316 lm · Betriebsspannung: 24V DC · Leistung pro Meter: 24 W · Lebensdauer L70: >= 36.000 h · LxBxH in mm: 5.000 x 10 x 1,5 · · Achtung: LED-Strip nur mit Aluminiumprofil sowie · ausreichender Belüftung betreiben. · Leichte lötfreie Montage durch Steckverbindungen (optional). · Maximale Länge pro Anschluss: 5 Meter. Für größere Längen neu einspeisen. · Lieferumfang: 5 Meter-Rolle. 5x Einspeisungsverbinder, 1x Direktverbinder

TECHNICAL DATA

Unit Code	Stück
BAR code	4251835840002
Housing colour	Weiss
Length	5000.00 mm
Width	10.00 mm
Height	1.50 mm
LED colour	660nm:460nm Pflanzenwachstum
Lightoutput per fixture	1575.00 lm
Lightoutput per LED	2.63 lm
Lamp	Inklusive LED





VARDAflex Grow - 5-Meter-Rolle Flex.
LED-Strip, 24V, Innen, 660nm:460nm
Article nr.: PHD000

TECHNICAL DATA

IP rating	20
Power	120 W
Current mA	5000 mA
Voltage	24 V
Amount of LED	600
Temperature range	-20 - 45
LED per meter	120
Dimension of segments	50.00 mm
Lifetime L70B50	32.000 h





VARDAflex Grow - 5-Meter-Rolle Flex.
LED-Strip, 24V, Innen, 660nm:460nm
Article nr.: PHD000

TECHNICAL DRAWING

