




**CIRDAN COB LED-Einbaustrahler starr,
quadratisch, 350mA, 8W, IP55, 3000K,
CRI80-V4A**

Article nr.: PEG66V4AWWOK

for indoor- and outdoor use, IP 55 · housing: V4A stainless steel, glass reflector, protective glass ·
housing color: stainless steel · not swiveling · beam angle: 25° · power: 8 W · light color: 3000 K ·
luminous flux: 738 lm · CRI: >80 · lifetime L70B50: >= 54.000 h · input: 350 mA DC · protection class III
· installation depth: 55 mm · ceiling cut-out: 68 mm · outer dimensions: 82 x 82 mm · energie
efficiency class: F · not included LED converter

TECHNICAL DATA

Unit Code	pcs
BAR code	4251835856645
Housing colour	Edelstahl
Length	82.00 mm
Width	82.00 mm
Height	44.00 mm
Hole size	68 mm
Depth in ceiling	55.00 mm
LED colour	ca. 3000K warmweiß
Lightoutput per fixture	738.00 lm






**CIRDAN COB LED-Einbaustrahler starr,
quadratisch, 350mA, 8W, IP55, 3000K,
CRI80-V4A**

Article nr.: PEG66V4AWWOK

TECHNICAL DATA

Lamp	Inklusive LED
IP rating	55
Power	8 W
Current mA	350 mA
Lamp base	ohne
Amount of LED	1
Material	Edelstahl
Temperature range	-20 - 40
Energy efficiency class	EEK-Label_F
CRI	≥ 80
Lifetime L70B50	54.000 h





**CIRDAN COB LED-Einbaustrahler starr,
quadratisch, 350mA, 8W, IP55, 3000K,
CRI80-V4A**

Article nr.: PEG66V4AWWOK

TECHNICAL DRAWING

