



BAN COB LED-Einbaustrahler
schwenkb.quadr., 350mA, 7W, IP40,
2700K, CRI90-eisen g.
 Article nr.: PEC355UWWOK

for indoor use, IP40 · · housing: diecast aluminium, PC reflector, protective screen · housing colour: brushed iron · swiveling 2x25° · beam angle: 40° · power: 7 W · light colour: 2700 K · luminous flux: 620 lm · CRI: >90 · lifespan L70B50: >= 50.000 h · input current: 350 mA DC · protection class III · · installation depth: 60 mm · ceiling cut out: 68 mm · outer dimensions: 82 x 82 mm · energy efficiency class: F · without constant current converter - please order separately

TECHNICAL DATA

Unit Code	pcs
BAR code	4251835833554
Housing colour	sonstige
Length	82.00 mm
Width	82.00 mm
Height	50.00 mm
Hole size	68 mm
Depth in ceiling	60.00 mm
LED colour	ca. 2700 K ultra warmweiß
Lightoutput per fixture	620.00 lm





BAN COB LED-Einbaustrahler
schwenkb.quadr., 350mA, 7W, IP40,
2700K, CRI90-eisen g.

Article nr.: PEC355UWWOK

TECHNICAL DATA

Lamp	Inklusive LED
IP rating	40
Power	7 W
Current mA	350 mA
Lamp base	ohne
Material	Aluminium
Temperature range	-20 - 50
Energy efficiency class	EEK-Label_F
CRI	≥ 90
Lifetime L70B50	50.000 h





BAN COB LED-Einbaustrahler
schwenkb.quadr., 350mA, 7W, IP40,
2700K, CRI90-eisen g.

Article nr.: PEC355UWWOK

TECHNICAL DRAWING

