



**BAN COB LED-Einbaustrahler**  
**schwenkbar, rund, 350mA, 7W, IP20,**  
**3000K, CRI90-V4A**

Article nr.: PEG350WWOK

for indoor use, IP40 · housing: stainless steel, PC reflector, protective screen · housing colour: polished stainless steel · swiveling 2x25° · beam angle: 40° · power: 7 W · light colour: 3000 K · luminous flux: 600 lm · CRI: >90 · lifespan L70B50: >= 50.000 h · input current: 350 mA DC · protection class III · installation depth: 60 mm · ceiling cut out: 68 mm · outer diameter: 82 mm · energy efficiency class: F · without constant current converter – please order separately

## TECHNICAL DATA

|                         |                    |
|-------------------------|--------------------|
| Unit Code               | pcs                |
| BAR code                | 4251835853507      |
| Housing colour          | Edelstahl          |
| Height                  | 50.00 mm           |
| Outer diameter          | 82 mm              |
| Hole size               | 68 mm              |
| Depth in ceiling        | 60.00 mm           |
| LED colour              | ca. 3000K warmweiß |
| Lightoutput per fixture | 600.00 lm          |
| Lamp                    | Inklusive LED      |





**BAN COB LED-Einbaustrahler**  
**schwenkbar, rund, 350mA, 7W, IP20,**  
**3000K, CRI90-V4A**  
 Article nr.: PEG350WWOK

## TECHNICAL DATA

|                         |             |
|-------------------------|-------------|
| IP rating               | 40          |
| Power                   | 7 W         |
| Current mA              | 350 mA      |
| Lamp base               | ohne        |
| Material                | Edelstahl   |
| Temperature range       | -20 - 50    |
| Energy efficiency class | EEK-Label_F |
| CRI                     | ≥ 90        |
| Lifetime L70B50         | 50.000 h    |





**BAN COB LED-Einbaustrahler**  
**schwenkbar, rund, 350mA, 7W, IP20,**  
**3000K, CRI90-V4A**

Article nr.: PEG350WWOK

## TECHNICAL DRAWING

