



CORU-50 LED POWER MODUL CORU-50, 350mA, 7W, 2700K, CRI90, D50mm-17°

Article nr.: PEG101

LED power module 7 W with reflector · with Luminus-CXM6 Power LED Array 3rd gen. · with anti glare · for recessed spotlights for 50 mm lamps · dimmable · input current: 350 mA DC · power: 7 W · luminous flux: 560 lm · light colour: 2700 K · CRI: >90 · lifespan L70B50: >= 50.000 h · beam angle: 17° · protection class III · energy efficiency class: F · Excellent heat dissipation due to optimised aluminium heatsink · Aluminium reflector with halogen appearance and uniform light distribution · With 300 mm connection cable and JST plug connection for reverse polarity · protected and tool free replacement of the lamp

TECHNICAL DATA

Unit Code	pcs
BAR code	4251835851015
Housing colour	Aluminium
Height	67.00 mm
Outer diameter	50 mm
LED colour	ca. 2700 K ultra warmweiß
Lightoutput per fixture	560.00 lm
Lamp	Inklusive LED
IP rating	20
Power	7 W





CORU-50 LED POWER MODUL CORU-50, 350mA, 7W, 2700K, CRI90, D50mm-17°

Article nr.: PEG101

TECHNICAL DATA

Current mA	350 mA
Lamp base	ohne
Material	Aluminium
Temperature range	-20 - 50
Energy efficiency class	EEK-Label_F
CRI	≥ 90
Lifetime L70B50	50.000 h





CORU-50 LED POWER MODUL CORU-50, 350mA, 7W, 2700K, CRI90, D50mm-17°

Article nr.: PEG101

TECHNICAL DRAWING

