



CORU-50 LED POWER MODUL CORU-50, 500mA, 9W, 5000K, CRI90, D50mm-17°

Article nr.: PEG108

LED power module 9 W with reflector · with Luminus-CXM6 Power LED Array 3rd gen. · with anti glare · for recessed spotlights for 50 mm lamps · dimmable · input current: 500 mA DC · power: 9 W · luminous flux: 864 lm · light colour: 5000 K · CRI: >90 · lifespan L70B50: >= 50.000 h · beam angle: 17° · protection class III · energy efficiency class: F · Excellent heat dissipation due to optimised aluminium heatsink · Aluminium reflector with halogen appearance and uniform light distribution · With 300 mm connection cable and JST plug connection for reverse polarity · protected and tool free replacement of the lamp

TECHNICAL DATA

Unit Code	pcs
BAR code	4251835851084
Housing colour	Aluminium
Height	78.00 mm
Outer diameter	50 mm
LED colour	ca. 5000K Tageslicht
Lightoutput per fixture	864.00 lm
Lamp	Inklusive LED
IP rating	20
Power	9 W





CORU-50 LED POWER MODUL CORU-50, 500mA, 9W, 5000K, CRI90, D50mm-17°

Article nr.: PEG108

TECHNICAL DATA

Current mA	500 mA
Lamp base	ohne
Material	Aluminium
Temperature range	-20 - 50
Energy efficiency class	EEK-Label_F
CRI	≥ 90
Lifetime L70B50	50.000 h





**CORU-50 LED POWER MODUL CORU-
50, 500mA, 9W, 5000K, CRI90, D50mm-
17°**

Article nr.: PEG108

TECHNICAL DRAWING

