



CORU-50K LED-Einbaustrahler
**kardanisch, quadr., IP20-weiss, 2-
Flammig**

Article nr.: PEG502

Cardanic recessed glare free downlight · for two lamps, can be swiveled by 30° and · rotated by 355°
· for indoor use · material: die-cast aluminum · colour: black inside and white outside · IP20 · for LED
power modules of the CORU-50 product family · outer dimension: 164 x 84 mm · installation
dimension: 158 x 78 mm · installation depth with 7 W LED power module PEG101-105: 85 mm ·
installation depth with 9 W LED Power module PEG106-111: 92 mm

TECHNICAL DATA

Unit Code	pcs
BAR code	4251835855020
Housing colour	Weiss
Length	164.00 mm
Width	84.00 mm
Height	38.00 mm
Lamp	Exklusive LED
IP rating	20
Lamp base	ohne
Material	Aluminium





CORU-50K LED-Einbaustrahler
kardanisch, quadr., IP20-weiss, 2-
Flammig
Article nr.: PEG502

TECHNICAL DATA

Temperature range

-20 - 50





CORU-50K LED-Einbaustrahler
kardanisch, quadr., IP20-weiss, 2-
Flammig
Article nr.: PEG502

TECHNICAL DRAWING

