



GLIN COB LED-Einbaustrahler
schwenkb., rund, 500mA, 20W, IP40,
3000K, CRI80-weiss
Article nr.: PEH801WWOK

for indoor use, IP40 · Housing: diecast aluminum (protective glass, transparent) · Housing colour: white · swivel · Beam angle: 24° · Power: 20 W · Light colour: 3000 K (100K) warm white · Luminous flux: 1968 lm · CRI: >80 · Lifespan L70B50: >= 50.000 h · Input current: 500 mA DC · protection class III · Installation depth: 110 mm · Ceiling cut-out: 105 mm · Outer diameter: 116 mm · Energy efficiency class: F · not including LED converter

TECHNICAL DATA

Unit Code	pcs
BAR code	4251835888011
Housing colour	Weiss
Height	95.00 mm
Outer diameter	116 mm
Hole size	105 mm
Depth in ceiling	110.00 mm
LED colour	ca. 3000K warmweiß
Lightoutput per fixture	1968.00 lm
Lamp	Inklusive LED





GLIN COB LED-Einbaustrahler
schwenkb., rund, 500mA, 20W, IP40,
3000K, CRI80-weiss
 Article nr.: PEH801WWOK

TECHNICAL DATA

IP rating	40
Power	20 W
Current mA	500 mA
Lamp base	ohne
Amount of LED	1
Material	Aluminium
Temperature range	-20 - 50
Energy efficiency class	EEK-Label_F
CRI	≥ 80
Lifetime L70B50	30.000 h





GLIN COB LED-Einbaustrahler
schwenkb., rund, 500mA, 20W, IP40,
3000K, CRI80-weiss
Article nr.: PEH801WWOK

TECHNICAL DRAWING

