



**NINQITA COB LED-Einbaustrahler starr,
rund, 900mA, 35W, IP40, 4000K, CRI80 -
weiss**

Article nr.: PDA351

for indoor use, IP40 · · Housing: diecast aluminum (plastic protection cover, transparent) · housing colour: white · not swivelling · beam angle: 51° · power: 35 W · light colour: 4000 K (100K) neutral white · luminous flux: 3700 lm · CRI: >80 · lifespan L70B50: >= 50.000 h · input: 900 mA DC · protection class III · · installation depth: 130 mm · ceiling cut-out: 160 mm · outer diameter: 180 mm · energy efficiency class: E · not including LED converter

TECHNICAL DATA

Unit Code	pcs
BAR code	4251835813518
Housing colour	Weiss
Height	110.00 mm
Outer diameter	180 mm
Hole size	160 mm
Depth in ceiling	120.00 mm
LED colour	ca. 4000K neutralweiß
Lightoutput per fixture	3700.00 lm
Lightoutput per LED	3700.00 lm





**NINQITA COB LED-Einbaustrahler starr,
rund, 900mA, 35W, IP40, 4000K, CRI80 -
weiss**

Article nr.: PDA351

TECHNICAL DATA

Lamp	Inklusive LED
IP rating	40
Power	35 W
Current mA	900 mA
Lamp base	ohne
Amount of LED	1
Material	Aluminium
Temperature range	-20 - 50
Energy efficiency class	EEK-Label_E
Lifetime L70B50	50.000 h





**NINQITA COB LED-Einbaustrahler starr,
rund, 900mA, 35W, IP40, 4000K, CRI80 -
weiss**

Article nr.: PDA351

TECHNICAL DRAWING

