




## NINQITA COB LED-Einbaustrahler starr, rund, 1200mA, 50W, IP40, 4000K, CRI80 - weiss


Article nr.: PDA501

for indoor use, IP40 · · Housing: diecast aluminium (plastic protection cover, transparent) · Housing colour: white · not swivelling · Beam angle: 48° · Power: 50 W · Light colour: 4000 K ( 100K) neutral white · Luminous flux: 5180 lm · CRI: >80 · Lifespan L70B50: >= 50.000 h · Input current: 1200 mA DC · protection class III · · installation depth: 145 mm · ceiling cut-out: 185 mm · outer diameter: 205 mm · energy efficiency class: E · not including LED converter

### TECHNICAL DATA

|                         |                       |
|-------------------------|-----------------------|
| Unit Code               | pcs                   |
| BAR code                | 4251835815017         |
| Housing colour          | Weiss                 |
| Height                  | 135.00 mm             |
| Outer diameter          | 205 mm                |
| Hole size               | 185 mm                |
| Depth in ceiling        | 145.00 mm             |
| LED colour              | ca. 4000K neutralweiß |
| Lightoutput per fixture | 5180.00 lm            |
| Lightoutput per LED     | 5180.00 lm            |






**NINQITA COB LED-Einbaustrahler starr,  
rund, 1200mA, 50W, IP40, 4000K, CRI80 -  
weiss**

Article nr.: PDA501

## TECHNICAL DATA

|                         |               |
|-------------------------|---------------|
| Lamp                    | Inklusive LED |
| IP rating               | 40            |
| Power                   | 50 W          |
| Current mA              | 1.200 mA      |
| Lamp base               | ohne          |
| Amount of LED           | 1             |
| Material                | Aluminium     |
| Temperature range       | -20 - 50      |
| Energy efficiency class | EEK-Label_E   |
| CRI                     | ≥ 80          |
| Lifetime L70B50         | 50.000 h      |





**NINQITA COB LED-Einbaustrahler starr,  
rund, 1200mA, 50W, IP40, 4000K, CRI80 -  
weiss**

Article nr.: PDA501

## TECHNICAL DRAWING

