



NINQITA COB LED-Einbaustrahler starr, rund, 400mA, 15W, IP40, 3000K, CRI80 - weiss

Article nr.: PDZ151

for indoor use, IP40 · · Housing: diecast aluminum (plastic protection cover, transparent) · Housing colour: white · not swivelling · Beam angle: 53° · Power: 15 W · Light colour: 3000 K (100K) warm white · Light flux: 1504 lm · CRI: >80 · Lifespan L70B50: >= 50.000 h · Input current: 400 mA DC · protection class III · · Installation depth: 95 mm · Ceiling cut-out: 125 mm · Outer diameter: 134 mm · Energy efficiency class: F · not including LED converter

TECHNICAL DATA

Unit Code	pcs
BAR code	4251835841511
Housing colour	Weiss
Height	85.00 mm
Outer diameter	134 mm
Hole size	125 mm
Depth in ceiling	95.00 mm
LED colour	ca. 3000K warmweiß
Lightoutput per fixture	1504.00 lm
Lightoutput per LED	1504.00 lm






**NINQITA COB LED-Einbaustrahler starr,
rund, 400mA, 15W, IP40, 3000K, CRI80 -
weiss**

Article nr.: PDZ151

TECHNICAL DATA

Lamp	Inklusive LED
IP rating	40
Power	15 W
Current mA	400 mA
Lamp base	ohne
Amount of LED	1
Material	Aluminium
Temperature range	-20 - 50
Energy efficiency class	EEK-Label_F
CRI	≥ 80
Lifetime L70B50	50.000 h





**NINQITA COB LED-Einbaustrahler starr,
rund, 400mA, 15W, IP40, 3000K, CRI80 -
weiss**

Article nr.: PDZ151

TECHNICAL DRAWING

