



## NINQITA COB LED-Einbaustrahler starr, rund, 700mA, 25W, IP40, 3000K, CRI80 - weiss

Article nr.: PDZ251

for indoor use, IP40 · Housing: diecast aluminum (plastic protection cover, transparent) · housing colour: white · not swivelling · beam angle: 46° · power: 25 W · light colour: 3000 K ( 100K) warm white · luminous flux: 3030 lm · CRI: >80 · lifespan L70B50: >= 50,000 h · lifespan L80: >= 50,000 h · input: 700 mA DC · protection class III · installation depth: 110 mm · ceiling cut-out: 140 mm · outer diameter: 160 mm · energy efficiency class: E · not including LED converter · Eligible for funding under the BEG funding programme 2021 - 2030

### TECHNICAL DATA

|                         |                    |
|-------------------------|--------------------|
| Unit Code               | pcs                |
| BAR code                | 4251835842518      |
| Housing colour          | Weiss              |
| Height                  | 98.00 mm           |
| Outer diameter          | 160 mm             |
| Hole size               | 140 mm             |
| Depth in ceiling        | 110.00 mm          |
| LED colour              | ca. 3000K warmweiß |
| Lightoutput per fixture | 3030.00 lm         |
| Lightoutput per LED     | 3030.00 lm         |





**NINQITA COB LED-Einbaustrahler starr,  
rund, 700mA, 25W, IP40, 3000K, CRI80 -  
weiss**

Article nr.: PDZ251

## TECHNICAL DATA

|                         |               |
|-------------------------|---------------|
| Lamp                    | Inklusive LED |
| IP rating               | 40            |
| Power                   | 25 W          |
| Current mA              | 700 mA        |
| Lamp base               | ohne          |
| Amount of LED           | 1             |
| Material                | Aluminium     |
| Temperature range       | -20 - 50      |
| Energy efficiency class | EEK-Label_E   |
| CRI                     | ≥ 80          |
| Lifetime L70B50         | 50.000 h      |





**NINQITA COB LED-Einbaustrahler starr,  
rund, 700mA, 25W, IP40, 3000K, CRI80 -  
weiss**

Article nr.: PDZ251

## TECHNICAL DRAWING

