



NINQITA COB LED-Einbaustrahler starr, rund, 900mA, 35W, IP40, 3000K, CRI80 - weiss

Article nr.: PDZ351

for indoor use, IP40 · · Housing: diecast aluminum (plastic protection cover, transparent) · housing colour: white · not swivelling · beam angle: 51° · power: 35 W · light colour: 3000 K (100K) warm white · luminous flux: 3594 lm · CRI: >80 · lifespan L70B50: >= 50.000 h · input: 900 mA DC · protection class III · · installation depth: 120 mm · ceiling cut-out: 160 mm · outer diameter: 180 mm · energy efficiency class: E · not including LED converter

TECHNICAL DATA

Unit Code	pcs
BAR code	4251835843515
Housing colour	Weiss
Height	110.00 mm
Outer diameter	180 mm
Hole size	160 mm
Depth in ceiling	120.00 mm
LED colour	ca. 3000K warmweiß
Lightoutput per fixture	3594.00 lm
Lightoutput per LED	3594.00 lm





**NINQITA COB LED-Einbaustrahler starr,
rund, 900mA, 35W, IP40, 3000K, CRI80 -
weiss**

Article nr.: PDZ351

TECHNICAL DATA

Lamp	Inklusive LED
IP rating	40
Power	35 W
Current mA	900 mA
Lamp base	ohne
Material	Aluminium
Temperature range	-20 - 50
Energy efficiency class	EEK-Label_E
CRI	≥ 80
Lifetime L70B50	50.000 h





**NINQITA COB LED-Einbaustrahler starr,
rund, 900mA, 35W, IP40, 3000K, CRI80 -
weiss**

Article nr.: PDZ351

TECHNICAL DRAWING

