



NINQITA COB LED-Einbaustrahler starr, rund, 1200mA, 50W, IP40, 3000K, CRI80 - weiss

Article nr.: PDZ501

for indoor use, IP40 · · Housing: diecast aluminum (plastic protection cover, transparent) · housing colour: white · not swivelling · beam angle: 48° · power: 50 W · light colour: 3000 K (100K) warm white · luminous flux: 5069 lm · CRI: >80 · lifespan L70B50: >= 50.000 h · input: 1200 mA DC · protection class III · · installation depth: 155 mm · ceiling cut-out: 185 mm · outer diameter: 205 mm · energy efficiency class: E · not including LED converter

TECHNICAL DATA

Unit Code	pcs
BAR code	4251835845014
Housing colour	Weiss
Height	135.00 mm
Outer diameter	205 mm
Hole size	185 mm
Depth in ceiling	145.00 mm
LED colour	ca. 3000K warmweiß
Lightoutput per fixture	5069.00 lm
Lightoutput per LED	5069.00 lm





**NINQITA COB LED-Einbaustrahler starr,
rund, 1200mA, 50W, IP40, 3000K, CRI80 -
weiss**

Article nr.: PDZ501

TECHNICAL DATA

Lamp	Inklusive LED
IP rating	40
Power	50 W
Current mA	1.200 mA
Lamp base	ohne
Amount of LED	1
Material	Aluminium
Temperature range	-20 - 50
Energy efficiency class	EEK-Label_E
CRI	≥ 80
Lifetime L70B50	50.000 h





**NINQITA COB LED-Einbaustrahler starr,
rund, 1200mA, 50W, IP40, 3000K, CRI80 -
weiss**

Article nr.: PDZ501

TECHNICAL DRAWING

