




**LED-Einlegeleuchte 620x620mm on/off
UGR**
Article nr.: PBZ001

for indoor use, IP40 · colour of housing: white with microprismatic cover UGR <19 · beam angle: 120° · power: 40 W · light colour: 3.000 K · luminous flux: 4.500 lm · CRI: >80 · lifespan L70B50: >= 50,000 h · input voltage range: 180-264 V AC, 50/60 Hz · protection class II · installation depth: 145 mm · ceiling cut out: 600 x 600 mm · outer dimensions: 620 x 620 x 10 mm · including constant current converter not dimmable · dimmable constant current converters and other accessories · are available separately

TECHNICAL DATA

Unit Code		pcs
BAR code	4251835820011	
Housing colour	Weiss	
Length	620.00 mm	
Width	620.00 mm	
Height	10.00 mm	
LED colour	ca. 3000K warmweiß	
Lightoutput per fixture	4500.00 lm	
Lamp	including LED	
IP rating		40






**LED-Einlegeleuchte 620x620mm on/off
UGR**
Article nr.: PBZ001

TECHNICAL DATA

Power	40 W
Voltage	200-240 V
Lamp base	ohne
Input voltage	180-264
Material	Aluminium
Efficiency	0.90
Temperature range	-20 - 50
CRI	≥ 80
Lifetime L70B50	50.000 h
Suitable light source	





LED-Einlegeleuchte 620x620mm on/off
UGR
Article nr.: PBZ001

TECHNICAL DRAWING

