



**CORMA-1055 Ringleuchte DALI -**  
**Baldachin Ø1055, H53mm, 230V, 95,**  
**1W, IP20, 3000K, CRI80-RAL9010**  
 Article nr.: PBE005-9010

Round pendant luminaire with light emission inwards and downwards · for indoor use, IP20 · including canopy with max. 3.000 mm rope suspension · housing: aluminum powder coated · colour of housing: RAL 9010 (purewhite) · beam angle: 96° · power: 95.1 W · light colour: 3000 K · luminous flux: 9.504 lm · CRI: >80 · lifespan L70: >= 36.000 h · input voltage: 100-240 V AC, 50/60 Hz · protection class I · height: 53 mm · outer diameter: 1.055 mm · including power supply, DALI dimmable · tool-free locking mechanism for quick assembly

## TECHNICAL DATA

|                         |                    |
|-------------------------|--------------------|
| Unit Code               | pcs                |
| BAR code                | 4251835825054      |
| Housing colour          | Weiss              |
| Height                  | 53.00 mm           |
| Outer diameter          | 1055 mm            |
| LED colour              | ca. 3000K warmweiß |
| Lightoutput per fixture | 9504.00 lm         |
| Lamp                    | Inklusive LED      |
| IP rating               | 20                 |
| Power                   | 95,1 W             |





**CORMA-1055 Ringleuchte DALI -**  
**Baldachin Ø1055, H53mm, 230V, 95,**  
**1W, IP20, 3000K, CRI80-RAL9010**  
 Article nr.: PBE005-9010

## TECHNICAL DATA

|                   |           |
|-------------------|-----------|
| Voltage           | 100-240 V |
| Lamp base         | ohne      |
| Material          | Aluminium |
| Temperature range | to 45     |
| CRI               | ≥ 80      |





**CORMA-1055 Ringleuchte DALI -**  
**Baldachin Ø1055, H53mm, 230V, 95,**  
**1W, IP20, 3000K, CRI80-RAL9010**  
 Article nr.: PBE005-9010

## TECHNICAL DRAWING

