



SORNA LED-Stehleuchte dimmbar

**Direkt/Indirekt 270x270x1800mm, 230V,
11/2W, IP20, 3000K, CRI80-RAL7021**

Article nr.: PBA505-7021FS

LED floor lamp consisting of ceiling washer and reading lamp, dimmable · cover of ceiling light and reading light made of impact-resistant polycarbonate, · suitable for decorative and energy-efficient general lighting, · luminaire in minimalist design, straight lined and modern appearance · made of metal · made in germany · surface powder-coated black-grey matt (RAL 7021 FS) · power: 11W (ceiling floodlight), 2W (reading light) · light colour: 3000K · luminous flux: 1,480 lm (ceiling floodlight), 270 lm (reading light) · CRI: >80 · lifespan L70: >= 50,000 h · lifespan L80: >= 50,000 h · input voltage: 230 V AC · protection class I · ceiling floodlight LxWxH in mm: 270 x 270 x 27.5 · base plate LxW in mm: 230 x 230 · height: 1885.5 mm · 2.2m connection cable protective contact plug · manufactured under ISO 9001 conditions · Eligible for funding under the BEG funding programme 2021 - 2030

TECHNICAL DATA

Unit Code	pcs
BAR code	4251835815055
Housing colour	Schwarz
Length	270.00 mm
Width	270.00 mm
Height	1885.50 mm
LED colour	ca. 3000K warmweiß
Lightoutput per fixture	1750.00 lm
Lamp	Inklusive LED
IP rating	20





SORNA LED-Stehleuchte dimmbar

**Direkt/Indirekt 270x270x1800mm, 230V,
11/2W, IP20, 3000K, CRI80-RAL7021**

Article nr.: PBA505-7021FS

TECHNICAL DATA

Power	13 W
Voltage	100-240 V
Material	Stahl
Temperature range	-20 - 40
CRI	≥ 80





SORNA LED-Stehleuchte dimmbar

**Direkt/Indirekt 270x270x1800mm, 230V,
11/2W, IP20, 3000K, CRI80-RAL7021**

Article nr.: PBA505-7021FS

TECHNICAL DRAWING

