




VARDAflex Superior Plus Profi - 5-Meter-Rolle Flex. LED-Strip, 24V, 14, 4W/m, Innen, 2400K CRI98

Article nr.: PGI132

flexible LED Strip with self adhesive backside, · for indoor use. · Can be separated every 33.33 mm or 6 LEDs · Number of LEDs: 900 · LED pitch: 5.55 mm · beam angle: 120° · CRI: 98 · Lumen per meter: 1096 lm · Voltage: 24V DC · Power per meter: 14,4 W · Lifetime L70B50: >= 50.000 h · LxWxH in mm: 5.000 x 8 x 1.4 · Maximum length per connection: 5 meter. New connectors for greater length. · Delivery contents: 5 meter roll

TECHNICAL DATA

Unit Code	pcs
BAR code	4251835891325
Housing colour	Weiss
Length	5000.00 mm
Width	8.00 mm
Height	1.40 mm
LED colour	ca. 2400K ultra warmweiß
Lightoutput per fixture	5480.00 lm
Lightoutput per LED	6.08 lm
Lamp	Inklusive LED






VARDAflex Superior Plus Profi - 5-Meter-Rolle Flex. LED-Strip, 24V, 14, 4W/m, Innen, 2400K CRI98

Article nr.: PGI132

TECHNICAL DATA

IP rating	20
Power	72 W
Psb	0,00 W
Current mA	3.000 mA
Voltage	24 V
Amount of LED	900
Temperature range	-20 - 45
LED per meter	180
Dimension of segments	33.33 mm
CRI	≥ 98
Lifetime L70B50	50.000 h





VARDAflex Superior Plus Profi - 5-Meter-Rolle Flex. LED-Strip, 24V, 14, 4W/m, Innen, 2400K CRI98
Article nr.: PGI132

TECHNICAL DRAWING

