




**VARDAflex Plus Profi - 5-Meter-Rolle**  
**Flex. LED-Strip, 24V, 14, 4W/m, Innen,**  
**1700K**

Article nr.: PHF151

flexible LED Strip with self adhesive backside, · for indoor use. · · can be separated every 100 mm or 6 LEDs · number of LEDs: 300 · LED pitch: 16.67 mm · beam angle: 120° · lumen per meter: 1136 lm · voltage: 24V DC · power per meter: 14,4 W · lifetime L70:  $\geq 36.000$ h · LxWxH in mm: 5.000 x 10 x 2 · · Easy installation with solderless connector (optional). · Maximum length per connection: 10 meter. New connectors for greater length. · Delivery contents: 5 meter roll, 1 power supply connector, 1 direct connector

## TECHNICAL DATA

|                         |                 |
|-------------------------|-----------------|
| Unit Code               | pcs             |
| BAR code                | 4251835881517   |
| Housing colour          | sonstige        |
| Length                  | 5000.00 mm      |
| Width                   | 10.00 mm        |
| Height                  | 2.00 mm         |
| LED colour              | ca. 1700K flame |
| Lightoutput per fixture | 5680.00 lm      |
| Lightoutput per LED     | 18.93 lm        |
| Lamp                    | Inklusive LED   |






**VARDAflex Plus Profi - 5-Meter-Rolle**  
**Flex. LED-Strip, 24V, 14, 4W/m, Innen, 1700K**

Article nr.: PHF151

## TECHNICAL DATA

|                       |           |
|-----------------------|-----------|
| IP rating             | 20        |
| Power                 | 72 W      |
| Current mA            | 3.000 mA  |
| Voltage               | 24 V      |
| Amount of LED         | 300       |
| Temperature range     | -20 - 45  |
| LED per meter         | 60        |
| Dimension of segments | 100.00 mm |
| Lifetime L70B50       | 26.000 h  |





**VARDAflex Plus Profi - 5-Meter-Rolle**  
**Flex. LED-Strip, 24V, 14, 4W/m, Innen, 1700K**

Article nr.: PHF151

## TECHNICAL DRAWING

