



VARDAflex COB - 5-Meter-Rolle

Flex.LED-Strip, 24V, 7W/m, Innen, 3000K

Article nr.: PHA335

flexible LED Strip with self adhesive backside · for indoor use, IP20 · · can be separated every 62.5 mm or 32 LEDs · number of LEDs: 2.560 · LED pitch: 1.95 mm · beam angle: 180° · CRI: >90 · luminous flux per meter: 666 lm · voltage: 24 V DC · power per meter: 7 W · lifespan L70B50: >= 67.000 h · energy efficiency class: F · LxWxH in mm: 5.000 x 8 x 1.9 · Maximum length per connection: 5 metre. New connectors for greater length. · Delivery contents: 5 meter reel with 150 mm connecting cable

TECHNICAL DATA

Unit Code	pcs
BAR code	4251835813358
Length	5000.00 mm
Width	8.00 mm
Height	1.90 mm
LED colour	ca. 3000K warmweiß
Lightoutput per fixture	3330.00 lm
Lightoutput per LED	1.30 lm
Lamp	Inklusive LED
IP rating	20






VARDAflex COB - 5-Meter-Rolle
Flex.LED-Strip, 24V, 7W/m, Innen,
3000K

Article nr.: PHA335

TECHNICAL DATA

Power	35 W
Current mA	1.458 mA
Voltage	24 V
Amount of LED	2560
Temperature range	-20 - 45
LED per meter	512
Dimension of segments	62.50 mm
Energy efficiency class	EEK-Label_F
CRI	≥ 90
Lifetime L70B50	67.000 h





VARDAflex COB - 5-Meter-Rolle
Flex.LED-Strip, 24V, 7W/m, Innen,
3000K

Article nr.: PHA335

TECHNICAL DRAWING

