




**VARDAflex Eco-7 Plus Profi - 5-Meter-
Rolle Flex. LED-Strip, 24V, 14, 4W/m,
Innen, 3000K CRI90**

Article nr.: PGI445

flexible LED Strip with self adhesive backside, · for indoor use. · Can be separated every 50 mm or 7 LEDs · Number of LEDs: 700 · LED pitch: 7.14 mm · beam angle: 120° · CRI: >90 · Luminous flux per meter: 1.270 lm · Voltage: 24V DC · Power per meter: 14.4 W · Lifetime L70B50: >= 50.000 h · energy efficiency class: G · LxWxH in mm: 5.000 x 8 x 1.5 · Easy installation with solderless connector (optional). · Maximum length per connection: 5 meter. New connectors for greater length. · Delivery contents: 5 meter reel with 300 mm connector cable

TECHNICAL DATA

Unit Code	pcs
BAR code	4251835894456
Length	5000.00 mm
Width	8.00 mm
Height	1.50 mm
LED colour	ca. 3000K warmweiß
Lightoutput per fixture	6350.00 lm
Lightoutput per LED	9.07 lm
Lamp	Inklusive LED
IP rating	20






**VARDAflex Eco-7 Plus Profi - 5-Meter-
Rolle Flex. LED-Strip, 24V, 14, 4W/m,
Innen, 3000K CRI90**

Article nr.: PGI445

TECHNICAL DATA

Power	72 W
Current mA	3.000 mA
Voltage	24 V
Amount of LED	700
Temperature range	-20 - 45
LED per meter	140
Dimension of segments	50.00 mm
Energy efficiency class	EEK-Label_G
CRI	≥ 90
Lifetime L70B50	50.000 h





VARDAflex Eco-7 Plus Profi - 5-Meter-
Rolle Flex. LED-Strip, 24V, 14, 4W/m,
Innen, 3000K CRI90
 Article nr.: PGI445

TECHNICAL DRAWING

