




VARDAflex Eco-7 Plus Profi - 5-Meter- Rolle Flex. LED-Strip, 24V, 14, 4W/m, Innen, 2700K CRI90

Article nr.: PGI447

flexible LED Strip with self adhesive backside, · for indoor use. · Can be separated every 50 mm or 7 LEDs · Number of LEDs: 700 · LED pitch: 7.14 mm · beam angle: 120° · CRI: >90 · Luminous flux per meter: 1.233 lm · Voltage: 24V DC · Power per meter: 14.4 W · Lifetime L70: >= 50.000 h · LxWxH in mm: 5.000 x 8 x 1.5 · Easy installation with solderless connector (optional). · Maximum length per connection: 5 meter. New connectors for greater length. · Delivery contents: 5 meter reel with 300 mm connector cable

TECHNICAL DATA

Unit Code	pcs
BAR code	4251835894470
Length	5000.00 mm
Width	8.00 mm
Height	1.50 mm
LED colour	ca. 2700K ultra warmweiß
Lightoutput per fixture	6165.00 lm
Lightoutput per LED	8.81 lm
Lamp	Inklusive LED
IP rating	20






**VARDAflex Eco-7 Plus Profi - 5-Meter-
Rolle Flex. LED-Strip, 24V, 14, 4W/m,
Innen, 2700K CRI90**

Article nr.: PGI447

TECHNICAL DATA

Power	72 W
Current mA	3.000 mA
Voltage	24 V
Amount of LED	700
Temperature range	-20 - 45
LED per meter	140
Dimension of segments	50.00 mm
CRI	≥ 90





VARDAflex Eco-7 Plus Profi - 5-Meter-
Rolle Flex. LED-Strip, 24V, 14, 4W/m,
Innen, 2700K CRI90
 Article nr.: PGI447

TECHNICAL DRAWING

