



## VARDAflex 4inOne-96 - 5-Meter-Rolle


**Flex. LED-Strip, 24V, 22W/m, Innen,  
RGB+2700K**

Article nr.: PGI572

flexible LED Strip with self adhesive backside, · for indoor use, IP20 · · Can be separated every 62.5 mm or 6 LEDs · Number of LEDs: 480 · LED pitch: 10.42 mm · beam angle: 120° · CRI: >80 · Lumen per meter: 1037 lm · Voltage: 24 V DC · Power per meter: 22 W · Lifetime L70B50: >= 50.000 h · energy efficiency class: G · LxWxH in mm: 5.000 x 14 x 2.2 · · Caution: Do not operate strip without aluminium profile · and adequate ventilation. · Easy installation with solderless connector (optional). · Maximum length per connection: 5 meter. New connectors for greater length. · Delivery contents: 5 meter reel

### TECHNICAL DATA

|                         |               |
|-------------------------|---------------|
| Unit Code               | pcs           |
| BAR code                | 4251835895729 |
| Housing colour          | Weiss         |
| Length                  | 5000.00 mm    |
| Width                   | 14.00 mm      |
| Height                  | 2.20 mm       |
| LED colour              | RGBW 2700K    |
| Lightoutput per fixture | 5185.00 lm    |
| Lightoutput per LED     | 10.80 lm      |
| Lamp                    | Inklusive LED |






## VARDAflex 4inOne-96 - 5-Meter-Rolle

**Flex. LED-Strip, 24V, 22W/m, Innen,  
RGB+2700K**

Article nr.: PGI572

### TECHNICAL DATA

|                         |             |
|-------------------------|-------------|
| IP rating               | 20          |
| Power                   | 110 W       |
| Current mA              | 4.583 mA    |
| Voltage                 | 24 V        |
| Amount of LED           | 480         |
| Temperature range       | -20 - 45    |
| LED per meter           | 96          |
| Dimension of segments   | 62.50 mm    |
| Energy efficiency class | EEK-Label_G |
| CRI                     | ≥ 80        |
| Lifetime L70B50         | 50.000 h    |





## VARDAflex 4inOne-96 - 5-Meter-Rolle

Flex. LED-Strip, 24V, 22W/m, Innen,  
RGB+2700K

Article nr.: PGI572

### TECHNICAL DRAWING

