



## VARDAflex 3inOne-36 - 5-Meter-Rolle


### Flex. LED-Strip, 24V, 8, 64W/m, Innen, RGB

Article nr.: PGI575

flexible LED Strip with self adhesive backside, · for indoor use. · Can be separated every 166.7 mm or 6 LEDs · Number of LEDs: 180 · LED pitch: 27.78 mm · beam angle: 120° · CRI: · Lumen per meter: 360 lm · Voltage: 24V DC · Power per meter: 8.64 W · Lifetime L70: >= 50.000 h · LxWxH in mm: 5.000 x 10 x 1.8 · Easy installation with solderless connector (optional) · Maximum length per connection: 5 meter. New connectors for greater length. · Delivery contents: 5 meter reel with 300 mm connecting cable

#### TECHNICAL DATA

|                         |               |
|-------------------------|---------------|
| Unit Code               | pcs           |
| BAR code                | 4251835895750 |
| Housing colour          | Weiss         |
| Length                  | 5000.00 mm    |
| Width                   | 10.00 mm      |
| Height                  | 1.80 mm       |
| LED colour              | RGB           |
| Lightoutput per fixture | 1800.00 lm    |
| Lightoutput per LED     | 10.00 lm      |
| Lamp                    | Inklusive LED |






## VARDAflex 3inOne-36 - 5-Meter-Rolle

### Flex. LED-Strip, 24V, 8, 64W/m, Innen, RGB

Article nr.: PGI575

#### TECHNICAL DATA

|                       |           |
|-----------------------|-----------|
| IP rating             | 20        |
| Power                 | 43,2 W    |
| Current mA            | 1.800 mA  |
| Voltage               | 24 V      |
| Amount of LED         | 180       |
| Temperature range     | -20 - 45  |
| LED per meter         | 36        |
| Dimension of segments | 166.70 mm |
| Lifetime L70B50       | 36.000 h  |





**VARDAflex 3inOne-36 - 5-Meter-Rolle**  
**Flex. LED-Strip, 24V, 8, 64W/m, Innen,**  
**RGB**

Article nr.: PGI575

## TECHNICAL DRAWING

