



VARDAflex 3inOne-60 - 5-Meter-Rolle


Flex. LED-Strip, 24V, 14, 4W/m, Innen, RGB

Article nr.: PGI577

flexible LED Strip with self adhesive backside, · for indoor use. · Can be separated every 100 mm or 6 LEDs · Number of LEDs: 300 · LED pitch: 16.67 mm · beam angle: 120° · CRI: · Lumen per meter: 500 lm · Voltage: 24V DC · Power per meter: 14.4 W · Lifetime L70: >= 50.000 h · LxWxH in mm: 5.000 x 10 x 1.8 · Easy installation with solderless connector (optional) · Maximum length per connection: 5 meter. New connectors for greater length. · Delivery contents: 5 meter reel with 300 mm connecting cable

TECHNICAL DATA

Unit Code	pcs
BAR code	4251835895774
Housing colour	Weiss
Length	5000.00 mm
Width	10.00 mm
Height	1.80 mm
LED colour	RGB
Lightoutput per fixture	2500.00 lm
Lightoutput per LED	8.33 lm
Lamp	Inklusive LED





VARDAflex 3inOne-60 - 5-Meter-Rolle

Flex. LED-Strip, 24V, 14, 4W/m, Innen, RGB

Article nr.: PGI577

TECHNICAL DATA

IP rating	20
Power	72 W
Current mA	3.000 mA
Voltage	24 V
Amount of LED	300
Temperature range	-20 - 45
LED per meter	60
Dimension of segments	100.00 mm
Lifetime L70B50	36.000 h





VARDAflex 3inOne-60 - 5-Meter-Rolle
Flex. LED-Strip, 24V, 14, 4W/m, Innen, RGB

Article nr.: PGI577

TECHNICAL DRAWING

