



Zubehör VARDAflex LED-Strips
Einspeisung Gapless Einfarbig 8mm IP20
 Article nr.: PGZ324

LxWxH in mm: 15.6 x 9.6 x 3.3 · cable 150 mm (2 x 0.5 sq mm) · material: polycarbonate · suitable for following LED strips: · VARDAflex COB: PHA332, PHA335, PHA337, PHA338 · VARDAflex Eco-7: PGI401, PGI402, PGI404, PGI405, PGI407, PGI408 · VARDAflex Eco-7 Plus: PGI431, PGI432, PGI434, PGI435, PGI437, PGI438 · VARDAflex Eco-7 Plus Profi: PGI441, PGI442, PGI444, PGI445, PGI447, PGI448 · VARDAflex Eco-7 Double: PGI461, PGI462, PGI464, PGI465, PGI467, PGI468 · VARDAflex Double: PGI120, PGI121, PGI122, PGI123, PGI124, PGI125 · VARDAflex Superior Plus Profi: PGI132, PGI135, PGI137, PGI138 · only to be used at joints where there is no solder on the contacts.

TECHNICAL DATA

Unit Code	pcs
BAR code	4251835873246
Housing colour	ohne
Length	15.60 mm
Width	9.60 mm
Height	3.30 mm
Lamp	Ohne
IP rating	20
Current mA	3.500 mA
Voltage	3-24 V





Zubehör VARDAflex LED-Strips
Einspeisung Gapless Einfarbig 8mm IP20
Article nr.: PGZ324

TECHNICAL DATA

Material

Kunststoff

Temperature range

-10 - 45



Zubehör VARDaFlex LED-Strips
Einspeisung Gapless Einfarbig 8mm IP20
Article nr.: PGZ324

TECHNICAL DRAWING

