



Konstantstrom Konverter LED Konverter 700mA 3W-6W

Article nr.: PHE427

rutec LED constant current converters · for indoor and outdoor use · · Art. 85442 · IP65 · Protection Class 2, CE, RoHS, REACH · Protection against short-circuit, overload and overcurrent · Primary and secondary-sided 1 supply and feed line. · · Art. 85428 · IP67 · Protection Class 2, CE, RoHS, REACH · Protection against short-circuit, overload and overcurrent · Primary and secondary-sided 1 supply and feed line · · Art. 85427 · IP20 · Protection Class 2, CE, RoHS, REACH · Protection against short-circuit, overload and overcurrent · Single-screw connection for supply and feed line

TECHNICAL DATA

Unit Code	pcs
BAR code	4251835854276
Housing colour	Weiss
Length	50.00 mm
Width	40.00 mm
Height	21.00 mm
Lamp	Ohne
IP rating	20
Power	3-6 W
Psb	0,00 W





Konstantstrom Konverter LED Konverter 700mA 3W-6W

Article nr.: PHE427

TECHNICAL DATA

P _{no}	1,00 W
Current mA	700 mA
Input voltage	100-240
Output voltage	3-12
Material	Kunststoff
Tolerance	6.00
Temperature range	-10 - 40
Suitable light source	LED





Konstantstrom Konverter LED Konverter 700mA 3W-6W

Article nr.: PHE427

TECHNICAL DRAWING

