



Konstantstrom Konverter LED Konverter 700mA 3W-6W

Article nr.: PHE428

rutec LED constant current converters · for indoor and outdoor use · · Art. 85442 · IP65 · Protection Class 2, CE, RoHS, REACH · Protection against short-circuit, overload and overcurrent · Primary and secondary-sided 1 supply and feed line. · · Art. 85428 · IP67 · Protection Class 2, CE, RoHS, REACH · Protection against short-circuit, overload and overcurrent · Primary and secondary-sided 1 supply and feed line · · Art. 85427 · IP20 · Protection Class 2, CE, RoHS, REACH · Protection against short-circuit, overload and overcurrent · Single-screw connection for supply and feed line

TECHNICAL DATA

Unit Code	pcs
BAR code	4251835854283
Housing colour	Weiss
Length	74.00 mm
Width	35.00 mm
Height	23.00 mm
Lamp	Ohne
IP rating	65
Power	3-6 W
Current mA	700 mA





Konstantstrom Konverter LED

Konverter 700mA 3W-6W

Article nr.: PHE428

TECHNICAL DATA

Input voltage	100-240
Output voltage	3-12
Material	Kunststoff
Tolerance	6.00
Temperature range	-10 - 40
Suitable light source	LED





Konstantstrom Konverter LED

Konverter 700mA 3W-6W

Article nr.: PHE428

TECHNICAL DRAWING

