



Konstantstrom Konverter LED Konverter 350mA 1W-8W 3-36V

Article nr.: PHE444

rutec LED converter, constant current · For indoor use, IP20 · with screw connection and strain relief · CE, REACH, RoHS, MM, SELV · Protection against short circuit and over current · Cable cross-section screw terminals: 0.5 - 1.5 sq mm · Housing: plastic · Input voltage: 100-240 V AC · Power: 1 - 8 W · Output current: 350 mA · LxWxH in mm: 86 x 45 x 26 · Temperature range: -10 to +40°C · Not dimmable on primary side

TECHNICAL DATA

Unit Code	pcs
BAR code	4251835854443
Housing colour	Blau
Length	86.00 mm
Width	45.00 mm
Height	26.00 mm
Lamp	Ohne
IP rating	20
Power	1-8 W
Psb	0,00 W





Konstantstrom Konverter LED

Konverter 350mA 1W-8W 3-36V

Article nr.: PHE444

TECHNICAL DATA

P _{no}	1,00 W
Current mA	350 mA
Input voltage	100-240
Output voltage	3-36
Material	Kunststoff
Tolerance	6.00
Temperature range	-10 - 40
Suitable light source	LED



Equiv.
SELV





Konstantstrom Konverter LED
Konverter 350mA 1W-8W 3-36V
 Article nr.: PHE444

TECHNICAL DRAWING

