



## Konstantstrom Konverter Dimmbar LED Konverter 350mA 6, 2W-9W

Article nr.: PHE445-V2

rutec LED converter constant current, dimmable · for indoor use · IP20 · Built-in active PFC · Protection class II, CE, RoHS, MM · Protection against short circuit, SELV, independent converter · Wire cross-section at plug-in connection: 0.5 – 1.5 sq mm · with strain relief cover · Dimmable with phase cut dimmer · Housing: plastic · Input voltage: 230 V AC · Output current: 350 mA · Power: 6,2 – 9 Watt

### TECHNICAL DATA

|                |               |
|----------------|---------------|
| Unit Code      | pcs           |
| BAR code       | 4251835854450 |
| Housing colour | Blau          |
| Height         | 27.50 mm      |
| Outer diameter | 63 mm         |
| Lamp           | Ohne          |
| IP rating      | 20            |
| Power          | 6,2-9 W       |
| Psb            | 0,00 W        |
| Pno            | 0,44 W        |





**Kontstantstrom Konverter Dimmbar**  
**LED Konverter 350mA 6, 2W-9W**  
 Article nr.: PHE445-V2

## TECHNICAL DATA

|                       |            |
|-----------------------|------------|
| Current mA            | 350 mA     |
| Output voltage        | 17-23      |
| Material              | Kunststoff |
| Tolerance             | 6.00       |
| Temperature range     | -20 - 50   |
| Suitable light source | LED        |





**Kontstantstrom Konverter Dimmbar**  
**LED Konverter 350mA 6, 2W-9W**  
Article nr.: PHE445-V2

## TECHNICAL DRAWING

