



DALI-Aktor DT8 2, 3 oder 4 Kanal / 1

Adresse DALI-Aktor DT8 350mA mehrfarbig

Article nr.: PHZ738

DALI-DT8 dimmer, 4-channel PWM output, integrated DALI master function · Thanks to the OLED display surface, a simple and quick installation is possible · All DT8 color types in one device: XY, Tc, RGBW · Each device is controlled by a single DALI address · 16 scenes can be defined and recalled in advance on the device · 250 Hz - 30 kHz PWM frequency adjustable, gentle and fine DT8 color control · A dimming value and a manual color control can be made directly on · the device (stand-alone function) · Switch-on, dimming and fault behavior can be set directly on the device · Compatible with universal DALI masters that support DT8 commands · Complies with IEC 62386-209: 2011 · For indoor use, IP20 · Device type: DT8 · Protection class III, CE, RoHS, REACH · Temperature range: -20°C to + 50°C · Input voltage 12V DC - 24V DC · Output voltage: 12V DC - 24V DC (PWM) · Power: 4 x 4,2W (12V), 4x 8,4W (24V) · LxWxH in mm: 170 x 53.5 x 28.8

TECHNICAL DATA

Unit Code	pcs
BAR code	4251835807388
Housing colour	Blau
Length	170.00 mm
Width	53.50 mm
Height	28.80 mm
Lamp	Ohne
IP rating	20
Power	16,8-33,6 W
Current mA	350 mA





DALI-Aktor DT8 2, 3 oder 4 Kanal / 1

**Adresse DALI-Aktor DT8 350mA
mehrfarbig**

Article nr.: PHZ738

TECHNICAL DATA

Input voltage	12-24
Output voltage	12-24
Material	Kunststoff
Temperature range	-20 - 50





DALI-Aktor DT8 2, 3 oder 4 Kanal / 1

**Adresse DALI-Aktor DT8 350mA
mehrfarbig**

Article nr.: PHZ738

TECHNICAL DRAWING

