



## DALI-2 DT6 für 350-1500mA einfarbig DALI-2 Push Dimm-Aktor AC 50W

Article nr.: PHZ790-V2

rutec DALI-2 push dimming actuator AC 50W · 1 address 1 channel single colour · DALI address automatically addressable from · DALI master controller (e.g. gateway) · According to DALI standard protocol IEC62386-101:2014, IEC62386-102:2014, IEC62386-207 Ed2 · suitable for commercially available DALI devices · DALI-2 or push dim function · for indoor use, IP20 · input voltage: 200-240 V AC · output current adjustable via dip switch: 350mA, 450mA, 500mA, 600mA, 650mA, 700mA, 750mA, 800mA, · 900mA, 950mA, 1050mA, 1100mA, 1200mA, 1250mA, 1350mA, 1400mA, 1500mA DC · power: 2.8-50 watts depending on output current (see manual) · device type: DT6 · protection class II, CE, ROHS · protection against short circuit, overvoltage and overtemperature · dimming range: 0.1-100% · temperature range: -20°C to +45°C · LxWxH in mm: 210 x 50 x 32

### TECHNICAL DATA

|                |               |
|----------------|---------------|
| Unit Code      | pcs           |
| BAR code       | 4251835808903 |
| Housing colour | Blau          |
| Length         | 210.00 mm     |
| Width          | 50.00 mm      |
| Height         | 32.00 mm      |
| Lamp           | Ohne          |
| IP rating      | 20            |
| Power          | 2,8-50 W      |
| Psb            | 0,37 W        |



Equiv.  
**SELV**





## DALI-2 DT6 für 350-1500mA einfarbig DALI-2 Push Dimm-Aktor AC 50W

Article nr.: PHZ790-V2

### TECHNICAL DATA

|                       |              |
|-----------------------|--------------|
| P <sub>no</sub>       | 0,68 W       |
| P <sub>net</sub>      | 0,39 W       |
| Current mA            | 350-1.500 mA |
| Input voltage         | 200-240      |
| Output voltage        | 8-52         |
| Material              | Kunststoff   |
| Temperature range     | -20 - 45     |
| Suitable light source | LED          |



Reihenschaltung  




Equiv.  
**SELV**





**DALI-2 DT6 für 350-1500mA einfarbig**  
**DALI-2 Push Dimm-Aktor AC 50W**  
Article nr.: PHZ790-V2

## TECHNICAL DRAWING

